

Georgia Department of Natural Resources

205 Butler Street, S.E., Suite 1252, Atlanta, Georgia 30334

Joe D. Tanner, Commissioner
Harold F. Rabeis, Director
Environmental Protection Division

10070158



SITE: GE ROME

BREAK: 10.6

OTHER: _____

October 18, 1991

Mr. Richard Lester
General Electric Company
1935 Redmond Circle
Rome, Georgia 30161

Dear Mr. Lester:


As you are aware, the Environmental Protection Division (EPD) and General Electric (GE) entered into Consent Order Number EPD-HW-640 on March 29, 1991. The Order established, schedules and specifications for GE to investigate contamination and perform corrective action for releases of hazardous constituents at Landfill B. Quarterly groundwater monitoring data collected during 1990 and 1991 confirms that Landfills A and C are also contributing significant levels of metals, PCB and chlorobenzenes to the groundwater. Additionally surface water sample collected by EPD in Little Dry Creek show elevated levels of PCBs.

Enclosed is an amendment to Order Number EPD-HW-640 which outlines additional tasks necessary to characterize the extent of contamination resulting from Landfills A and C. These tasks are requisite to the corrective action at Landfill A and C which is also required in this amendment.

Please sign the amendment and return it to our office within ten (10) days of receipt of this letter. Upon execution, I will provide a copy of the amendment for your files.

If you have questions, please contact Jim Ussery at 404/656-2833.

Sincerely,


Harold F. Rabeis
Director

HFR:jue

to collect # 21-91